IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore® RELEASE 1.6

Welcome
United States Patent and Trademark Office

Help FAQ Terms IEEE Peer Review **Quick Links**

» Sea

Welcome to IEEE *Xplore*®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Your search matched **0** of **149** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

((keyword and verb and noun and retrieve or query an) Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

---

Results:
No documents matched your query.

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore® RELEASE 1.6

Welcome
United States Patent and Trademark Office

Help FAQ Terms IEEE Peer Review Quick Links

» Sea

Welcome to IEEE Xplore®
- Home
- What Can I Access?
- Log-out

Tables of Contents
- Journals & Magazines
- Conference Proceedings
- Standards

Search
- By Author
- Basic
- Advanced

Member Services
- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Your search matched **149** of **6094** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

((((keyword and verb and noun and retrieve or query) Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

---

1 **An index structure for pattern similarity searching in DNA microarra data**
Haixun Wang; Chang-Shing Perng; Wei Fan; Yu, P.S.;
Bioinformatics Conference, 2002. Proceedings. IEEE Computer Society , 14-16 2002
Pages:256 - 267

[Abstract] [PDF Full-Text (1624 KB)] **IEEE CNF**

---

2 **Approximate pattern matching is expressible in transitive closure lo**
Lemstrom, K.; Hella, L.;
Logic in Computer Science, 2000. Proceedings. 15th Annual IEEE Symposium on , 26-28 June 2000
Pages:157 - 167

[Abstract] [PDF Full-Text (356 KB)] **IEEE CNF**

---

3 **Handwritten text retrieval using two-stage pattern matching with handwritten query**
Yamada, K.;
Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on , Volume: 1 , 16-20 Aug. 1998
Pages:621 - 625 vol.1

[Abstract] [PDF Full-Text (100 KB)] **IEEE CNF**

---

4 **Efficient subsequence matching for sequences databases under time warping**
Wong, T.S.F.; Man Hon Wong;
Database Engineering and Applications Symposium, 2003. Proceedings. Seven

International , 16-18 July 2003
Pages:139 - 148

[Abstract] [PDF Full-Text (341 KB)] IEEE CNF

---

5 **The event matching language for querying temporal data**
Cheng, T.S.; Gadia, S.K.;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 14 , Issue: 5 , Sept.-Oct. 2002
Pages:1119 - 1125

[Abstract] [PDF Full-Text (250 KB)] IEEE JNL

---

6 **Semantic grep: regular expressions + relational abstraction**
Bull, R.I.; Trevors, A.; Malton, A.J.; Godfrey, M.W.;
Reverse Engineering, 2002. Proceedings. Ninth Working Conference on , 29 O Nov. 2002
Pages:267 - 276

[Abstract] [PDF Full-Text (321 KB)] IEEE CNF

---

7 **Structural joins: a primitive for efficient XML query pattern matchin**
Al-Khalifa, S.; Jagadish, H.V.; Koudas, N.; Patel, J.M.; Srivastava, D.; Yuqing
Data Engineering, 2002. Proceedings. 18th International Conference on , 26 F March 2002
Pages:141 - 152

[Abstract] [PDF Full-Text (397 KB)] IEEE CNF

---

8 **Aggregate operators in database flexible querying**
Bosc, P.; Pivert, O.; Lietard, L.;
Fuzzy Systems, 2001. The 10th IEEE International Conference on , Volume: 3 Dec. 2001
Pages:1231 - 1234

[Abstract] [PDF Full-Text (417 KB)] IEEE CNF

---

9 **Software architecture recovery based on pattern matching**
Sartipi, K.;
Software Maintenance, 2003. ICSM 2003. Proceedings. International Conferen on , 22-26 Sept. 2003
Pages:293 - 296

[Abstract] [PDF Full-Text (299 KB)] IEEE CNF

---

10 **Rewrite rules for quantified subqueries in a federated database**
Kemp, G.J.L.; Gray, P.M.D.; Sjostedt, A.R.;
Scientific and Statistical Database Management, 2001. SSDBM 2001. Proceed Thirteenth International Conference on , 18-20 July 2001
Pages:134 - 143

[Abstract] [PDF Full-Text (828 KB)] IEEE CNF

---

11 **Alborz: a query-based tool for software architecture recovery**
Sartipi, K.;
Program Comprehension, 2001. IWPC 2001. Proceedings. 9th International Workshop on , 12-13 May 2001
Pages:115 - 116

[Abstract] [PDF Full-Text (168 KB)] **IEEE CNF**

---

12 **Towards grouping constructs for semistructured data**
Bry, F.; Olteanu, D.; Schaffert, S.;
Database and Expert Systems Applications, 2001. Proceedings. 12th Internati Workshop on , 3-7 Sept. 2001
Pages:66 - 70

[Abstract] [PDF Full-Text (376 KB)] **IEEE CNF**

---

13 **A visual language for XML**
Erwig, M.;
Visual Languages, 2000. Proceedings. 2000 IEEE International Symposium on 13 Sept. 2000
Pages:47 - 54

[Abstract] [PDF Full-Text (680 KB)] **IEEE CNF**

---

14 **Korean folk song retrieval using rhythm pattern classification**
Chul Yong Yang; Jong Tak Shin; Jin Wook Kim; Hang Joon Kim;
Signal Processing and Its Applications, 1999. ISSPA '99. Proceedings of the Fi International Symposium on , Volume: 1 , 22-25 Aug. 1999
Pages:123 - 126 vol.1

[Abstract] [PDF Full-Text (240 KB)] **IEEE CNF**

---

15 **Characteristics of multidimensional holographic associative memor retrieval with dynamically localizable attention**
Khan, J.I.;
Neural Networks, IEEE Transactions on , Volume: 9 , Issue: 3 , May 1998
Pages:389 - 406

[Abstract] [PDF Full-Text (464 KB)] **IEEE JNL**

---

1 2 3 4 5 6 7 8 9 10 Next

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore RELEASE 1.6

Welcome
United States Patent and Trademark Office

» ABS

Help FAQ Terms IEEE Peer Review Quick Links

Welcome to IEEE Xplore
- Home
- What Can I Access?
- Log-out

Tables of Contents
- Journals & Magazines
- Conference Proceedings
- Standards

Search
- By Author
- Basic
- Advanced

Member Services
- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Search Results [PDF FULL-TEXT 306 KB] NEXT DOWNLOAD CITATION

Request Permissions RIGHTSLINK

Quantitative estimation method for discrimination o nuance among impression words

Taka Gi, S. Isomoto, Y. Nozaki, H.
Graduate Sch. of Nat. Sci., Nagoya City Univ., Yamanohata, Japan;
This paper appears in: **Industrial Electronics Society, 2000. IECON 2000 Annual Confjerence of the IEEE**

Meeting Date: 10/22/2000 - 10/28/2000
Publication Date: 22-28 Oct. 2000
Location: Nagoya Japan
On page(s): 1598 - 1603 vol.3
Volume: 3
Reference Cited: 2
Number of Pages: 4 vol.(xxviii+2997)
Inspec Accession Number: 7274627

Abstract:
In this paper the authors discuss a quantitative estimation method for discrim nuance among impression words that express favor, impression feeling, emot aesthetic sense. The impression words play the role of **keywords** on informat retrieval for the database of fine arts or industrial design. The subtle discrimin among the nuance of impression words makes **verbal** expression of our idea abundant and fruitful. The authors formulate the mathematical model and est method to quantify the discrimination among the impression words. The statis gathered from 100 examinees and analyzed to declare quantitatively the discr among impression words. The result is edited as the fuzzy thesaurus of impre words. The authors show the mathematical formulation, estimating method an

Index Terms:
database management systems fuzzy logic information retrieval aesthetic sense d fine arts fuzzy thesaurus impression feeling impression words information retrieva mathematical model nuance discrimination quantitative estimation method

Documents that cite this document
There are no citing documents available in IEEE Xplore at this time.

Search Results [PDF FULL-TEXT 306 KB] NEXT DOWNLOAD CITATION

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore® RELEASE 1.6

Welcome
United States Patent and Trademark Office

» Sea

Help FAQ Terms IEEE Peer Review Quick Links

Welcome to IEEE Xplore®
- Home
- What Can I Access?
- Log-out

Tables of Contents
- Journals & Magazines
- Conference Proceedings
- Standards

Search
- By Author
- Basic
- Advanced

Member Services
- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Your search matched **2** of **1009723** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

keyword <and> verb Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

---

1 **Quantitative estimation method for discrimination of nuance among impression words**
Taka Gi, S.; Isomoto, Y.; Nozaki, H.;
Industrial Electronics Society, 2000. IECON 2000. 26th Annual Confjerence of IEEE , Volume: 3 , 22-28 Oct. 2000
Pages:1598 - 1603 vol.3

[Abstract] [PDF Full-Text (306 KB)] **IEEE CNF**

---

2 **Structuring utterance records of requirements elicitation meetings b on speech act theory**
Saeki, M.; Matsumura, K.; Shimoda, J.; Kaiya, H.;
Requirements Engineering, 1996., Proceedings of the Second International Conference on , 15-18 April 1996
Pages:21 - 30

[Abstract] [PDF Full-Text (852 KB)] **IEEE CNF**

Copyright © 2004 IEEE — All rights reserved

WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Sunday, March 07, 2004

Hide?	Set Name	Query	Hit Count
	DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR		
☐	L15	L14 and metadata with database	1
☐	L14	5893101.pn.	1
☐	L13	slang and law	33
☐	L12	L6 and (storage or memory)	1
☐	L11	L6 and storage or memory	442273
☐	L10	l6 and replac$3 with word	1
☐	L9	L6 and storage	1
☐	L8	L6 and storage7	0
☐	L7	L6 and database	0
☐	L6	6047300.pn.	1
☐	L5	(slang near2 (word or key$word) and replac$4)	14
☐	L4	(non$retrieva$4 near2 (word or key$word))	1
☐	L3	((slang near2 word) and keyword and (query$4 or search$3))	14
	DB=PGPB,USPT,USOC,EPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR		
☐	L2	((object or noun) with verb with key$word)	39
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR		
☐	L1	((object or noun) and verb and key$word).ab.	20

END OF SEARCH HISTORY